



 **ERGONOMIC** SEATING



ErgoSelect™ SEATING RANGE

Ergonomic seating at its best!

The ErgoSelect™ range, a superior range of ergonomic office chairs. Extensive testing, research and trials have led to the development of the ErgoSelect™ range, designed with the health and well being of the user in mind.

One of the unique features of ErgoSelect™ is the availability of ergonomic choices and customised options which allow the user to style a chair to their personal seating requirements and enjoy an enhanced seating experience.

ErgoSelect™ chairs are fully upgradeable, with a selection of interchangeable component options.

10 YEAR
GUARANTEE





“ ErgoSelect™ chairs are guaranteed to 140kg

The ErgoSelect™ chair range will cater to a wide range of users. ”

ErgoSelect™ CHAIRS... FOR MULTIPLE APPLICATIONS

AFRDI LEVEL 6



The ErgoSelect™ Spark high back, 3 lever, no arms has AFRDI level 6 accreditation for severe commercial use. The majority of components in all ErgoSelect™ chairs are however AFRDI level 6 certified and conform to AS/NZS4438-1997 ensuring you are purchasing a quality product designed to last.

“

ErgoSelect™ chairs have been carefully designed with the user in mind.

You can easily adjust the chair to suit your working style! ”

ERGONOMIC OPINIONS VARY,
AND SO DO THE CHAIRS IN THE ErgoSelect™ RANGE.





SIT RECLINED

This provides great back support, and it's a good idea to use a footrest when sitting reclined.



SIT UP STRAIGHT

This is in all the Ergonomic books - knees, hips, elbows all at 90 degrees or just over. You will need to use all the chair adjustments to set this up correctly.



SIT FORWARD

A very natural and comfortable position. For those of us that have found ourselves sitting on the front edge of our seats, with our knees low, just so we can stretch our back.

Dynamic ergonomics

Ergonomics is concerned with the "FIT" between the user, their equipment and their environment

With modern ergonomics encouraging people to be more active during the day, it is even more important to choose a chair that will suit your working style. The optional ErgoSelect™ 4 lever mechanism is perfect for the Dynamic office. Whilst continuing to offer the many features of the ErgoSelect™ 3 lever mechanism, the additional tilt tension control allows the chair to move with you. You can also lock or unlock the unique forward tilt feature.



We understand that there are many different requirements for ergonomic chairs, not only do ergonomic opinions vary, the people, the tasks and the workplace all contribute to the complexity of finding the correct support for each individual.

WHY ARE ErgoSelect™ CHAIRS A TOP SELLER?

“

The ErgoSelect™ chairs exceptionally comfortable seat and supportive back are immediately appreciated. The heavy duty mechanism, back height and lumbar adjustment promotes an ergonomically correct seating position with ease.

”




ErgoSelect™

"Quality you can rely on"

The heavy duty mechanism with 3mm plate steel construction, and 10 year guarantee make the ErgoSelect range a perfect choice if you are looking for a chair that will last. The 10 year guarantee also includes the fabric when our standard Laine Smart fabric is used.

A feature of the Spark chair is the integrated lumbar pump. Coupled with the sliding seat and adjustable height back, the lumbar pump allows you to alter the curvature of the lumbar support for even better back shape control.



10 YEAR
GUARANTEE





Swift High Back



Swift Mid Back



Spark High Back
with Lumbar Pump



Spark Mid Back with
Lumbar Pump



Compact Ergo Seat ++



Ergo Seat



Square Seat



XL Seat



Adjustable Arms*

- * Arms not available with Compact ergo seat
- ++ 4 lever seat slide mechanism not available with Compact ergo seat
- ** Glides supplied with 265mm gas lift chairs for safety reasons-



3 Lever Mechanism
with Seat Slide



3 Lever Mechanism



4 Lever Mechanism
with Seat Slide ++



4 Lever Tilt
Mechanism

01

CHOOSE
BACK

02

CHOOSE
SEAT

03

CHOOSE
ARMS

04

CHOOSE
MECH



Standard 130mm
Gas Lift



Low 100mm
Gas Lift



Polished Aluminium
Base



Black Nylon
Base

ErgoSelect™ is a system that allows you to “Build your own chair”

So which options do you choose? – some options like gaslift height, seat size and back height can be determined by your size, or your working situation.

Other options like mechanisms and backs are more personal and relate more to how you prefer to work.

Backrests:

Spark or Swift?

Spark backs are all fully upholstered and fitted standard with a lumbar pump. This allows you to change the shape of the backrest to give you support where you need it.

Swift backs are mesh, so they breath better and offer a different type of support that moulds to your back

Mechanisms:

3 lever or 4 lever mechanism?

3 lever mechanisms are the most common, and allow the chair to be set up with the seat tilt or back angle locked at any angle you choose.

4 lever mechanisms are more of a ‘rocking chair”, the mechanism can be unlocked and the tilt tension adjusted to your body weight. The 4 lever mechanism also has a separate lever to allow or lock out the forward tilt feature.

05

CHOOSE
GAS LIFT

06

CHOOSE
BASE



10 YEAR
GUARANTEE



SWIFT MID BACK ERGO SEAT, ARMS

- Swift Mid Back
- + Ergo Seat
- + Adjustable Arms
- + 3 Lever Mechanism with Seat Slide
- + Standard 130mm Gas Lift
- + Black Nylon Base

(SFT-ME3S-AAP-130)



SWIFT HIGH BACK ERGO SEAT, ARMS

- Swift High Back
- + Ergo Seat
- + Adjustable Arms
- + 4 Lever Mechanism with Seat Slide
- + Standard 130mm Gas Lift
- + Black Nylon Base

(SFT-HE4S-AAP-130)



SPARK MID BACK SQUARE SEAT

- Spark Mid Back with Lumbar Pump
- + Square Seat
- + 3 Lever Mechanism
- + Standard 130mm Gas Lift
- + Black Nylon Base


(SPK-MS3S-NAP-130)



SPARK HIGH BACK ERGO SEAT, ARMS

- Spark Mid Back with Lumbar Pump
- + Ergo Seat
- + Adjustable Arms
- + 4 Lever Mechanism with Seat Slide
- + Low 100mm Gas Lift
- + Black Nylon Base

(SPK-HE4S-AAP-130)





SO HOW DO THE ErgoSelect™ CHAIRS WORK?

SPECIFY YOUR BASE


Choice of black Nylon or polished aluminum

HEIGHT AND WIDTH ADJUSTABLE ARMS

Quick and easy to adjust your preferred arm height
Standard arm width adjustment range (20mm)

ADJUSTABLE SEAT TILT

Lock in position or leave free floating to achieve optimal pelvic angle and blood flow
Adjustment range from horizontal: -5° to 6°



PUMP UP LUMBAR ADJUSTMENT

For optimum lumbar and back support

HEAVY DUTY MULTI-FUNCTION MECHANISM

3mm plate steel construction
Optional seat slide adjustment (50mm)
Optimum ergonomic seat and back adjustability with a wide adjustment range to suit all users

RATCHET HEIGHT ADJUSTABLE BACK REST/LUMBAR SUPPORT

Adjust click by click to one of 6 preferred positions
Adjustment range (80mm)



ADJUSTABLE SEAT HEIGHT

Lever controlled gas lift raises or lowers the seat to comfortably suit your leg length



GUARANTEE FINE PRINT: ErgoSelect™ range

The guarantee covers faulty workmanship and materials for 10 years from the date of manufacture; the guarantee does not cover fair wear and tear, or the chair upholstery.

The guarantee is a “back to base” guarantee. You need to return the chair to the place of purchase, and any faulty parts will be replaced free of charge.

Should you require your chair repaired on site you will be subject to a service charge, you can call your place of purchase for an estimate of the cost to complete repairs on site.

NB: This guarantee does not cover freight costs, or on site labour costs. Labour costs are covered if the chair is returned to the place of purchase.

10YEAR
GUARANTEE



ENVIRONMENTAL MATERIALS BREAKDOWN Spark Chair (High Back)

MATERIAL TYPE	CHAIR COMPONENT	RECYCLED CONTENT (%)	RECYCLABLE AFTER USE (%)
Plastic (19.53%)	<ul style="list-style-type: none"> • Castors and Pintals (0.56kg) • Base (1.4kg) • Gas Lift Bellow (0.2kg) • Back bellow (0.08kg) • Seat and Back Pan (1.17kg) • Paddles (0.3kg) • Gas Lift Bush (0.05kg) 	0%	96.21% RECYCLABLE
Steel (50.91%)	<ul style="list-style-type: none"> • Screws and bolts (0.3kg) • Gas lift and support tube (1.3kg) • Seat Mech w s/s (6.3kg) • Back bar and bracket (1.9kg) 	0%	
Rubber (0.26%)	<ul style="list-style-type: none"> • Air pump up lumbar (0.05kg) 	0%	
Plywood (19.22%)	<ul style="list-style-type: none"> • Seat Plywood (1.8kg) • Back Plywood (1.9kg) 	0%	
Foam (1.21%)	<ul style="list-style-type: none"> • Seat Foam (0.58kg) • Back Foam (0.63kg) 	0%	
Upholstery (3.79%)	<ul style="list-style-type: none"> • Fabric - Seat Upholstery (0.35kg) • Fabric - Back Upholstery (0.38kg) 	0%	13.79% Non Recyclable
Packaging (100%)	<ul style="list-style-type: none"> • Cardboard Carton & Internal Packaging (1kg) • Plastic Bag (0.1kg) • Recycled Paper (0.1kg) • Strapping • Tape (0.05kg) 	88% 0% 90% 0% 0%	100% Recyclable

“ The world population is ever increasing and everyone must do what they can to reduce our impact on the environment. Choosing ErgoSelect™ chairs is a positive step toward reducing total environmental impact ”

SUSTAINABILITY AND THE ENVIRONMENT

GreenTag Certified


Providing not only a good ergonomic seating, but also a responsible environmental choices is an integral part of our philosophy. As an environmentally responsible company we are taking active steps to ensure the products we offer are carefully selected, not only for design and function, but just as importantly for the effect they have on our environment.

96%
RECYCLABLE



Dimension notes:

All dimensions in mm
Measurements are not
absolute, small variations
exist from chair to chair
(1) seat height increases
by 15mm for seat slide
mechanisms



DIMENSIONS

ErgoSelect™ RANGE

(F) (3) measured with backrest
vertical, i.e. no change in seat
depth as backrest is moved
up and down

(F) (3) measured with lumbar
pump deflated on Spark
backs

(10) backrest width measured
at widest point

(7) (6) measured from the
highest part of the seat in a
horizontal position

DIMENSIONS FOR 3 LEVER MECH, NO SEAT SLIDE	COMPACT ERGO SEAT	ERGO SEAT	SQUARE SEAT	XL SEAT
Seat height - 265mm Gas Lift (1)	600-865	615-880	595-860	615-880
Seat height - 130mm Gas Lift (1)	455-585	470-600	450-580	470-600
Seat height - 100mm Gas Lift (1)	435-535	450-550	430-530	450-550
Seat depth - from lumbar F, no seat slide (3)	440	480	470	500
Seat depth from lumbar F with seat slide (3)	420-470	460-510	450-500	480-530
Seat depth overall (4)	460	480	470	530
Seat slide adjustment range	50	50	50	50
Seat width overall (8)	475	525	485	525
Armrest height above seat (5)	NA	150-220	170-240	150-220
Width between armrests (9)	NA	470-520	455-505	470-520


	FORWARD	BACKWARD
Seat tilt angle	-5°	+6°
Back tilt angle	-9°	+7°

	SPARK HIGH BACK	SPARK MID BACK	SWIFT HIGH BACK	SWIFT MID BACK
Height of backrest overall (2)	525	435	620	500
Height of backrest above seat (7)	475-555	390-470	570-650	440-520
Height of forward-most point of backrest F (6)	105-185	100-180	120-200	145-225
Ratchet back height adjustment range	80	80	80	80
Width of backrest (10)	460	445	505	485

	BLACK NYLON	ALUMINIUM
Foot Base Diameter (11)	660	650

PRICE GROUP 1




SMART KICK
SMART CLEVER
SMART SASSY
SMART HIP



ErgoSelect™ STANDARD FABRIC RANGE





PRICE GROUP 2

SMART VOGUE
SMART NEAT
SMART CHIC
SMART CLASSY
SMART UNIQUE
SMART FOXY
SMART PRO



PRICE GROUP 3

NEW AQUARIUS PITCH
NEW AQUARIUS GEYSER
NEW AQUARIUS HELIODOR
NEW AQUARIUS JEZEBEL
NEW AQUARIUS TAMBOURINE
NEW AQUARIUS ZIPPY
NEW AQUARIUS TOMBOLA
NEW AQUARIUS SWART



Visit: laine.com.au or call +613 9720 6566

